



TORNILLO ALLEN C/CILINDRICA INOXIDABLE

ROSCA USS

	DIAMETRO	3/16	1/4	5/16	3/8	
LARGO	3/8	•				
	1/2	•	•			
	5/8	•	•			
	3/4	•	•			
	7/8					
	1	•	•	•	•	
	1 1/4		•	•		
	1 1/2		•	•	•	
	1 3/4					
	2		•	•		

METRICOS

	PASO	P 0,70	P 0,80	P 1,00	P 1,25	P 1,50	P 1,75	
	DIAMETRO	4 mm	5 mm	6 mm	8 mm	10 mm	12 mm	
LARGO	10 mm	•	•	•	•			
	16 mm	•	•	•	•			
	20 mm	•	•	•	•	•	•	
	25 mm	•	•	•	•	•	•	
	30 mm	•	•	•	•	•	•	
	35 mm	•	•	•	•	•	•	
	40 mm	•	•	•	•	•	•	
	45 mm	•	•	•	•	•		
	50 mm	•	•	•	•	•	•	
	55 mm			•	•	•		
	60 mm	•			•	•	•	
	65 mm							
	70 mm				•	•	•	
	80 mm					•	•	
	90 mm				•	•	•	




TORNILLOS

TORNILLOS C/FRESADA INOXIDABLE

PULGADAS


	DIAMETRO	3/16	1/4	5/16	3/8
LARGO	3/8		•		
	1/2		•		
	5/8				
	3/4		•	•	
	7/8				
	1		•	•	•
	2				
	3				
4					



TORNILLOS ALLEN C/FRESADA INOX.

METRICOS

	PASO	P 0,70	P 0,80	P 1,00	P1,25	P 1,50
	DIAMETRO	4 mm	5 mm	6 mm	8 mm	10 mm
LARGO	10 mm	•	•	•	•	
	15 mm	•	•	•	•	
	20 mm	•	•	•	•	•
	25 mm	•	•	•	•	•
	30 mm	•	•	•	•	•
	35 mm	•	•	•	•	•
	40 mm	•	•	•	•	•
	45 mm		•	•	•	
	50 mm		•	•	•	
	55 mm				•	
	60 mm				•	




TORNILLOS

TORNILLO TANQUE INOXIDABLE

ROSCA USS


	DIAMETRO	3/16	1/4
LARGO	3/8		•
	1/2	•	•
	5/8	•	•
	3/4	•	•
	7/8		•
	1	•	•
	1 1/4	•	•
	1 1/2	•	•
	1 3/4	•	
	2	•	•
	2 1/4		
	2 1/2	•	•
	2 3/4		
	3	•	•




TORNILLOS

TORNILLO PARKER INOXIDABLE

DIAMETRO		6	8	10	12
LARGO	5/16				
	3/8	•	•		
	1/2	•	•	•	
	5/8	•	•	•	•
	3/4	•	•	•	•
	7/8	•	•	•	•
	1	•	•	•	•
	1 1/4	•	•	•	•
	1 1/2	•	•	•	•
	1 3/4		•	•	•
	2		•	•	•



TIRAFONDOS INOXIDABLES

DIAMETRO		1/4	5/16	3/8
LARGO	1			
	1 1/4	•		
	1 1/2	•	•	
	1 3/4	•		
	2	•	•	
	2 1/4			
	2 1/2	•	•	•
	3	•	•	•
	4		•	•
	5	•		

